Ref #	Hits	Search Query	DBs	Defa ult Oper ator	Plurals	Time Stamp
S1	77	(replac\$3 overwrite substitut\$4) with (flash firmware) near3 (portion block sector) same (upgrad\$4 optimized update) with (code portion data instruction sequence block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:30
S2	235	(replac\$3 overwrit\$3 substitut\$4 copy\$3 padding) with ((flash firmware) near3 (portion block sector)) same (upgrad\$4 optimiz\$5 reduced update) with (code portion data instruction sequence block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:31
\$3	0	(S1 S2) and (linker (linking (link\$3 near time)) (object with Makefile)) with (statistic metric profil\$4 feedback message annotation warning notification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:40
S4	1328	Optimization and (linker (linking (link\$3 near time)) (object with Makefile)) with (statistic metric profil\$4 feedback message annotation warning notification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:40
S5	89	S4 and (flash firmware (memory with (PDA handheld phone wireless (portable near device)))) same (upgrad\$4 update\$4 replac\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:42
S6	0	S5 and (S1 S2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:43
S7	229	(S1 S2) and (flash firmware (memory with (PDA handheld phone wireless (portable near device)))) and (upgrad\$4 update\$4 replac\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:43

S8	0	S7 and (Optimization (linker (linking (link\$3 near time)))) same (message profiling warning alert)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:45
\$9	0	S7 and (Optimization compiler (linker (linking (link\$3 near time)))) same (message profiling warning alert)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:45
S10	0	S7 and (Optimization compiler (linker (linking (link\$3 near time)))) same (message profiling warning alert recompil\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:45
S11	50	S7 and (Optimization compiler (linker (linking (link\$3 near time))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:45
S12	0	S5 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:45
S13	89	S5 and (Optimization compiler (linker (linking (link\$3 near time))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:46
S14	36	(replac\$3 overwrite substitut\$4) with (flash firmware) near3 (portion block sector) and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:46

S15	0	((feedback with linker).ab. (feedback with linker).ti. (feedback with linker).clm.) and @rlad<"20040511"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 14:49
S16	0	S14 and @rlad<"20040511"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 15:16
S17	0	S14 and @rlad<"20040511"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 15:55
S18	8	((feedback with linker).ab. (feedback with linker).ti. (feedback with linker).clm.) and (portable PDA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 15:55
S19	0	(linker near3 assist\$4) with (optimiz\$5 and compil\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:02
S20	7	(linker near3 assist\$4) same (optimiz\$5 ((code size program module) near8 (reduc\$5 compaction eliminat\$4)) and compil\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:03
\$21	657	((linker link\$3 compiler) with feedback) same (optimiz\$5 ((code size program module) near8 (reduc\$5 compaction eliminat\$4))) not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:04

		•	(11017	,		
S22	37	(S1 S2 S4) and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:05
S23	12	S22 and (link\$4 same compil\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:08
S24	2	S23 and (flash firmware (memory with (PDA handheld phone wireless (portable near device)))) same (upgrad\$4 update\$4 replac\$5 optimi\$3 reduction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:10
S25	2	"20040260734".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:17
S26	3	(((link\$4 translat\$4 LINT) and feedback) same recompil\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:19
S27	4	(US-20040068719-\$ or US-20050160058-\$ or US-20040260734-\$).did. or (US-5920723-\$).did.	US-PGPUB; USPAT	OR	ON	2011/09/09 16:28
S28	2	S27 and linker same ((optimiz\$4 translat\$4) and (compil\$4 recompil\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:29
S29	94	((address location bit) near5 padding) with (preserv\$3 maintain\$4 match\$4 with "base address")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:35

S30	0	((linker link\$3 compiler) same (optimiz\$5 ((code size program module) near8 (reduc\$5 compaction eliminat\$4))) and (size location sector) near8 differen\$4) and \$29 and @rlad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:37
S31	0	(linker link\$3 compiler) same (optimiz\$5 ((code size program module) near8 (reduc\$5 compaction eliminat\$4))) and \$29 and @rlad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:38
S32	19	(optimiz\$5 ((code size program module) near8 (reduc\$5 compaction eliminat\$4))) and S29 and @rlad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:38
S33	2	"20030142556".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/09 16:56
S34	2003	padding with ((((match\$3 ((fist and second) different unequal equal) near5 size) (base adj (address offset)) with (match\$4 equal\$5 compensat\$4))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 14:51
\$35	1279	padding with ((match\$3 (match\$4 equal\$5 compensat\$4)((fist and second) different unequal equal))) with (size (base adj (address offset)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 14:54
S36	42	S34 and S35 and ((compiler recompil\$5) same (optimiz\$4 iterativ\$4 recompil\$4 feedback)) and ((memory space with (reallocat\$4 reduc\$3 overlaid)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 14:57

		•		•		
\$37	39	S34 and S35 and ((compiler recompil\$5) same (optimiz\$4 iterativ\$4 recompil\$4 feedback)) and ((memory space) with (reallocat\$4 reduc\$3 overlaid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 14:57
\$38	45	(\$34 \$35) and ((compiler recompil\$5) same (optimiz\$4 iterativ\$4 recompil\$4 feedback)) and ((memory space) with (reallocat\$4 reduc\$3 overlaid)) and @rlad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 14:57
S39	36	S37 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 14:57
S40	33	S39 and MicroUnity.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 14:59
S41	3	S39 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:00
S42	2	"20040098548".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:02
S43	0	S42 and (padding with ((match\$3 (match\$4 equal\$5 compensat\$4)((fist and second) different unequal equal))) with (size (base adj (address offset))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:02

S44	0	S42 and (padding with ((match\$3 equal\$5 compensat\$4) and ((fist and second) different unequal equal address size)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:03
S45	0	S42 and padding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:03
S46	0	S40 and @pd< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:04
S47	33	S40 and @rlad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:04
S48	0	S40 and @pd< "20050227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:04
S49	0	S40 and @pd< "20060227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:04
S50	0	S40 and @pd< "20070227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:04

			•	•		
S51	0	S40 and @pd<"20080227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:04
S52	47	(S37 S38) and (optimiz\$4 recompil\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:05
S53	14	S52 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:05
S54	85	(firmware flash and memory).ab. and (upgrad\$4 sector replac\$4 write overwritten) and padding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:11
S55	20	S54 and @rlad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:11
S56	2	S54 not S55 and (S34 S35)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:12
S57	1	S55 and (S34S35)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:13

		•	•	•		
S58	35	(firmware flash and memory) same (upgrad\$4 sector replac\$4 write overwritten) same padding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:14
S59	12	(US-20040068719-\$ or US-20050160058-\$ or US-20040260734-\$ or US-20030090740-\$ or US-20030063745-\$ or US-20030142556-\$ or US-20020095537-\$).did. or (US-5920723-\$ or US-6118879-\$ or US-6401182-\$).did.	US-PGPUB; USPAT	OR	ON	2011/09/10 15:54
S60	1	S59 and padding and ((recompil\$4 re-compil\$4) (linker near4 (assist\$3 feedback)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 15:55
S61	12	(US-20040068719-\$ or US-20050160058-\$ or US-20040260734-\$ or US-20030090740-\$ or US-20030063745-\$ or US-20030142556-\$ or US-20020095537-\$).did. or (US-5920723-\$ or US-6118879-\$ or US-6401182-\$).did.	US-PGPUB; USPAT	OR	ON	2011/09/10 16:39
S62	0	S61 and upgrad\$4 and compil\$4 and padding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 16:40
S63	1	S61 and (upgrad\$4 updat\$4) and compil\$4 and padding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 16:40
S64	5	((linker near5 (assist\$4 feedback)) with (recompil\$4 compil\$5)) and (optimization same ((memory sector size) with reduc\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 16:58

S65	1	S61 and (map near3 file) same (linker compiler JIT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/10 17:21
S66	13	(US-20040068719-\$ or US-20050160058-\$ or US-20040260734-\$ or US-20030090740-\$ or US-20030063745-\$ or US-20030142556-\$ or US-20050157619-\$ or US-20020095537-\$ or US-20040064809-\$).did. or (US-5920723-\$ or US-6118879-\$ or US-7020284-\$ or US-6401182-\$).did.	US-PGPUB; USPAT	OR	ON	2011/09/11 16:47
S67	7	S66 and padding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/11 16:47
S68	2	Szewerenko.in. and layout and (linker near5 feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/11 16:49

EAST Search History (Interference)

<this empty="" history="" is="" search=""></this>	
---	--